

## II. AMENDMENTS TO THE SPECIFICATION

Please replace paragraph [0027] with the following marked up paragraph. A clean copy of paragraph [0027] appears on the following page.

[0027] After identifying the user, customization system 36 (FIG. 1) can access the history of object operations performed by the user and determine those object operations that have been most frequently selected by the user. Shortcuts can be displayed for the object operations that have been selected most frequently. For example, if user 26's (FIG. 1) history indicates he/she selects cut and ~~past~~ paste operations most frequently for object 44A, buttons for those object operations will be displayed in area 54 when object 44A is selected by user 26. The number of shortcuts displayed can be a designated number (e.g., three), and/or can be varied based on the frequencies of the object operations. For example, a threshold amount of selections or percentage of selections can be required before a shortcut is displayed for a particular object operation.

[0027] After identifying the user, customization system 36 (FIG. 1) can access the history of object operations performed by the user and determine those object operations that have been most frequently selected by the user. Shortcuts can be displayed for the object operations that have been selected most frequently. For example, if user 26's (FIG. 1) history indicates he/she selects cut and paste operations most frequently for object 44A, buttons for those object operations will be displayed in area 54 when object 44A is selected by user 26. The number of shortcuts displayed can be a designated number (e.g., three), and/or can be varied based on the frequencies of the object operations. For example, a threshold amount of selections or percentage of selections can be required before a shortcut is displayed for a particular object operation.